DSM-5 Self-Rated Level 1 Cross-Cutting Symptom Measure—Adult

Name: _____

____ Age: ____

Sex: All Male Female Date:_____

If this questionnaire is completed by an informant, what is your relationship with the individual? ______ In a typical week, approximately how much time do you spend with the individual? ______ hours/week

Instructions: The questions below ask about things that might have bothered you. For each question, circle the number that best describes how much (or how often) you have been bothered by each problem during the **past TWO (2) WEEKS**.

	During the past TWO (2) WEEKS , how much (or how often) have you been bothered by the following problems?	None Not at all	Slight	Mild Several days	Moderate More than half the days	Severe Nearly every day	Highest Domain Score (clinician)
I.	1. Little interest or pleasure in doing things?	0	1	2	3	4	
	2. Feeling down, depressed, or hopeless?	0	1	2	3	4	
II.	3. Feeling more irritated, grouchy, or angry than usual?	0	1	2	3	4	
III.	4. Sleeping less than usual, but still have a lot of energy?	0	1	2	3	4	
	5. Starting lots more projects than usual or doing more risky things than usual?	0	1	2	3	4	
IV.	6. Feeling nervous, anxious, frightened, worried, or on edge?	0	1	2	3	4	
	7. Feeling panic or being frightened?	0	1	2	3	4	
	8. Avoiding situations that make you anxious?	0	1	2	3	4	
V.	9. Unexplained aches and pains (e.g., head, back, joints, abdomen, legs)?	0	1	2	3	4	
	10. Feeling that your illnesses are not being taken seriously enough?	0	1	2	3	4	
VI.	11. Thoughts of actually hurting yourself?	0	1	2	3	4	
VII.	12. Hearing things other people couldn't hear, such as voices even when no one was around?	0	1	2	3	4	
	13. Feeling that someone could hear your thoughts, or that you could hear what another person was thinking?	0	1	2	3	4	
VIII.	14. Problems with sleep that affected your sleep quality over all?	0	1	2	3	4	
IX.	15. Problems with memory (e.g., learning new information) or with location (e.g., finding your way home)?	0	1	2	3	4	
Х.	16. Unpleasant thoughts, urges, or images that repeatedly enter your mind?	0	1	2	3	4	
	17. Feeling driven to perform certain behaviors or mental acts over and over again?	0	1	2	3	4	
XI.	18. Feeling detached or distant from yourself, your body, your physical surroundings, or your memories?	0	1	2	3	4	
XII.	19. Not knowing who you really are or what you want out of life?	0	1	2	3	4	
	20. Not feeling close to other people or enjoying your relationships with them?	0	1	2	3	4	
XIII.	21. Drinking at least 4 drinks of any kind of alcohol in a single day?	0	1	2	3	4	
	22. Smoking any cigarettes, a cigar, or pipe, or using snuff or chewing tobacco?	0	1	2	3	4	
	23. Using any of the following medicines ON YOUR OWN, that is, without a doctor's prescription, in greater amounts or longer than prescribed [e.g., painkillers (like Vicodin), stimulants (like Ritalin or Adderall), sedatives or tranquilizers (like sleeping pills or Valium), or drugs like marijuana, cocaine or crack, club drugs (like ecstasy), hallucinogens (like LSD), heroin, inhalants or solvents (like glue), or methamphetamine (like speed)]?	0	1	2	3	4	

LEVEL 2—Anxiety—Adult^{*}

*PROMIS Emotional Distress—Anxiety—Short Form

Name:	Age:	Sex: 🗅 Male 🗅 Female	Date:
If the measure is being completed by an informan	t, what is your rel	ationship with the individual?	
In a typical week, approximately how much time	do you spend with	n the individual?	hours/week

Instructions to patient: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that *during the past 2 weeks* you (individual receiving care) have been bothered by "feeling nervous, anxious, frightened, worried, or on edge", "feeling panic or being frightened", and/or "avoiding situations that make you anxious" at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often you (individual receiving care) have been bothered by a list of symptoms <u>during the past 7 days</u>. Please respond to each item by marking (\checkmark or x) one box per row.

							Clinician Use
In the past SEVEN (7) DAYS							Item
		Never	Rarely	Sometimes	Often	Always	Score
1.	I felt fearful.	1	2	3	4	5	
				·			
2.	I felt anxious.	1	2	3	4	5	
3.	I felt worried.	1	2	3	4	5	
4.	I found it hard to focus on anything other than my anxiety.	1	2	3	4	5	
5.	l felt nervous.	1	2	3	4	5	
6.	l felt uneasy.	1	2	3	4	5	
7.	I felt tense.	1	2	3	4	5	
Total/Partial Raw Score:							
Prorated Total Raw Score:							
T-Score:							

©2008-2012 PROMIS Health Organization (PHO) and PROMIS Cooperative Group.

This material can be reproduced without permission by clinicians for use with their patients.

Any other use, including electronic use, requires written permission of the PHO.

LEVEL 2—Depression—Adult^{*}

*PROMIS Emotional Distress—Depression—Short Form

Name: ______ Age: ____ Sex: 🛛 Male 🖵 Female Date:_____

If the measure is being completed by an informant, what is your relationship with the individual receiving care?

In a typical week, approximately how much time do you spend with the individual receiving care? ______ hours/week

Instructions: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that *during the past 2 weeks* you (the individual receiving care) have been bothered by "no interest or pleasure in doing things" and/or "feeling down, depressed, or hopeless" at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often you (the individual receiving care) have been bothered by a list of symptoms **during the past 7 days.** Please respond to each item by marking (\checkmark or x) one box per row.

							Clinician Use
In the past SEVEN (7) DAYS							Item
		Never	Rarely	Sometimes	Often	Always	Score
1.	l felt worthless.	1	2	3	4	5	
		•		1			
2.	I felt that I had nothing to look forward to.	1	2	3	4	5	
		T	ſ	1		1	
3.	I felt helpless.	1	2	3	4	5	
		1		1			
4.	I felt sad.	1	2	3	4	5	
		1	[1	[
5.	I felt like a failure.	1	2	3	4	5	
						D -	
6.	I felt depressed.	1	2	3	4	5	
7.	I felt unhappy.	1	2	3	4	5	
			<u> </u>				
8.	I felt hopeless.	1	2	3	4	5	
Total/Partial Raw Score:							
Prorated Total Raw Score:							
T-Score:							

©2008-2012 PROMIS Health Organization (PHO) and PROMIS Cooperative Group.

This material can be reproduced without permission by clinicians for use with their patients.

Any other use, including electronic use, requires written permission of the PHO.

LEVEL 2—Sleep Disturbance—Adult^{*}

*PROMIS—Sleep Disturbance—Short Form

Name:	Age:	Sex: 🗆 Male 📮 Female	Date:	
If the measure is being completed by an informant,	, what is your relati	onship with the individual receivin	g care?	
In a typical week, approximately how much time do	o you spend with th	he individual receiving care?	hours/w	veek

<u>Instructions to patient</u>: On the DSM-5 Level 1 cross-cutting questionnaire that you just completed, you indicated that *during the past 2 weeks* you (the individual receiving care) have been bothered by "problems with sleep that affected your sleep quality over all" at a mild or greater level of severity. The questions below ask about these feelings in more detail and especially how often you (the individual receiving care) have been bothered by a list of symptoms <u>during the past 7 days</u>. Please respond to each item by marking (\checkmark or x) one box per row.

						Clinician Use
In the past SEVEN (7) DAYS					_	
	Not at all	A little bit	Somewhat	Quite a bit	Very much	
1. My sleep was restless.	1	2	3	4	5	
2. I was satisfied with my sleep.	D 5	4	3	2	1	
3. My sleep was refreshing.	D 5	4	3	2	1	
4. I had difficulty falling asleep.	□ 1	2	3	4	5	
In the past SEVEN (7) DAYS						
	Never	Rarely	Sometimes	Often	Always	
5. I had trouble staying asleep.	1	2	3	4	5	
6. I had trouble sleeping.	□ 1	2	3	4	5	
7. I got enough sleep.	D 5	4	3	2	• 1	
In the past SEVEN (7) DAYS						
	Very Poor	Poor	Fair	Good	Very good	
8. My sleep quality was	D 5	4	3	2	1	
Total/Partial Raw Score:						
Prorated Total Raw Score:						
T-Score:						

©2008-2012 PROMIS Health Organization (PHO) and PROMIS Cooperative Group.

This material can be reproduced without permission by clinicians for use with their patients.

Any other use, including electronic use, requires written permission of the PHO.